

# ITRAINONLINE MMTK

## *Exercises with answers: Basic Radio Physics*

Developed by: Sebastian Buettrich

---

### **Exercise 1: Electromagnetic fields and waves**

Question: What is the wavelength of a 900 MHz electromagnetic wave?

Answer: 33 cm, because wavelength = speed of light / frequency

Question: What is the wavelength of visible light, roughly?

Answer: Light is the visible portion of the electromagnetic spectrum, between the frequencies of  $7.5 \times 10^{14}$  Hz and  $3.8 \times 10^{14}$  Hz, corresponding to wavelengths from circa 400 nm (violet/blue) to 800 nm (red)

Question: What is the polarization of the electromagnetic field emitted by a dipole?

Answer: Linear and parallel to dipole direction – e.g. for a vertical standard dipole antenna, it is vertical.

Question: VSAT satellites often used for Internet connectivity are geostationary satellites at a height of 35,785 km above the equator. What minimum delay (latency) does this imply for data travelling over VSAT?

Answer: It takes the radio signal circa 0.12 seconds for one trip from earth to satellites. For a normal TCP/IP communication from point A to B, we have 4 times that travel – the packet goes from A to Satellite, from Satellite to B, and then B sends an ACK (acknowledgement). All in all: about 0.5 seconds, as minimum latency.

Question: A specific radio device has a timeout window of 10 microseconds – this means, it expects an answer from the other end within 10 microseconds. From how many kilometres of distance would this begin to affect the radio link?

Answer: 10 microseconds corresponds to 3 km, but since the answer to the packet has to be back in time, it is  $2 \times 1.5$  km. Practically, most radio cards do not keep their time windows that strictly, so you will still get packets through at longer distances. But, keep an eye on it – if you have lots of TCP/IP packet loss although your radio signal looks good, this might be the cause.

### **Exercise 2: Electromagnetic spectrum**

Question: What are the relevant frequency ranges for wireless networking?

Answer: If we are interested in unlicensed or license exempt parts of the spectrum – then it is around 915 MHz, 2.4 GHz (802.11b/g) and 5.8 GHz (802.11a). Keep in mind that regulations vary from country to country.

Question: Which of the following devices could potentially interfere with a wireless network?

- a) Wireless microphone in a conference room
- b) Microwave oven in a kitchen
- c) Mobile phone
- d) Röntgen (X-Ray) Lab in a hospital
- e) Car or diesel engine

Answer:

a) Wireless microphone in a conference room: possible in principle, but most of this equipment uses frequencies much lower – from some 10 MHz up to circa 900 MHz - so it is not very likely to interfere, at least not with 802.11a/b/g.

b) Microwave oven in a kitchen – yes – if it is leaking radiation: a lot!

c) Mobile phone: unlikely – look up the frequencies of mobile phones in the spectrum overview in your handout!

d) Rontgen (X-Ray) lab in a hospital: Unlikely – again, check the frequencies.

e) Car or diesel engine: While this would not be very likely to interfere through radiation, an engine is a massive metal block – and that might have an impact.

(This was a good example of an answer from the participants which the trainer had not expected, but which was of course absolutely right! :)

### Exercise 3: Radio wave propagation

Question: If you have to reach clients within a village with trees and various types of buildings, which frequency would be the best choice? Discuss!

a) 915 MHz

b) 2.4 GHz

c) 5.8 GHz

Answer: The lowest frequency would probably be best, because lower frequencies are better at reaching through obstructions and 'around corners'.

Question: How wide does the radio 'line' of sight become for a 100 km link – roughly? Some centimetres, some meters, some kilometres?

Answer: See the Fresnel zone values – it is about 60 meters.

Question: What materials and substances should you most look out for when planning a wireless link? In other words, what will cause most problems?

Answer: Metal and water (in all forms).

### Exercise 4: Working with dBs

Question: Express these values in dBm / mW

Best strategy is to remember that

to double (x 2) means + 3 dB

one order of magnitude (x 10)+10 dB

let us use that:

1 mW = 0 dB

x 10 gives:

10 mW = 10 dB

x 2 gives:

20 mW = 13 dB

x 2 gives:

40 mW = 16 dB

starting again from

10 mW = 10 dB

x 10 gives:  
100 mW = 20 dB

x 2 gives:  
200 mW = 23 dB